









79 Series Fittings

 Code 62 Flange	16A79 182  <i>Flange</i>	16F79 182  <i>45° Elbow</i>	16N79 182  <i>90° Elbow</i>	 Seal-Lok® (O-Ring Face Seal)	1JS79 183  <i>Female - Swivel Long</i>
1J779 183  <i>Female - Swivel 45° Elbow</i>	1J979 184  <i>Female - Swivel 90° Elbow - Short</i>	 Flange Head	1XA79 184  <i>Flange Head</i>		

16A79**SAE Code 62 Flange Head**

ISO 12151-3 - S - S



view on web page


#			A		F		B	
Part Number	Flange inch	Hose I.D. inch	inch	mm	inch	mm	inch	mm
16A79-12-12	3/4	3/4	4.90	124	1-5/8	2.84	72	
16A79-16-16	1	1	5.48	139	1-7/8	3.31	84	
16A79-20-16	1-1/4	1	4.28	109	2-1/8	2.11	54	
16A79-20-20	1-1/4	1-1/4	6.09	155	2-1/8	3.41	87	
16A79-24-24	1-1/2	1-1/2	7.11	181	1-1/2	4.07	103	



WARNING: The products described in this catalog can expose you to chemicals, including Lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.p65warnings.ca.gov.

16F79**SAE Code 62 Flange Head - 45° Elbow**

ISO 12151-3 - E45S - S (1 Piece: ISO 12151-3 - E45M - S)



view on web page


#			A		E		F		B	
Part Number	Flange inch	Hose I.D. inch	inch	mm	inch	mm	inch	mm	inch	mm
16F79-16-16	1	1	5.33	135	1.26	32	1-7/8	3.16	80	
16F79-20-20	1-1/4	1-1/4	6.77	172	1.50	38	2-1/8	4.09	104	



WARNING: The products described in this catalog can expose you to chemicals, including Lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.p65warnings.ca.gov.

16N79**SAE Code 62 Flange Head - 90° Elbow**

ISO 12151-3 - E90S - S (1 Piece: ISO 12151-3 - E90M - S)



view on web page

#			A		E		F		B	
Part Number	Flange inch	Hose I.D. inch	inch	mm	inch	mm	inch	mm	inch	mm
16N79-12-12	3/4	3/4	4.27	108	2.28	58	1-5/8	2.21	56	
16N79-16-12	1	3/4	4.27	108	2.28	58	1-7/8	2.21	56	
16N79-16-16	1	1	4.95	126	2.76	70	1-7/8	2.78	71	
16N79-20-16	1-1/4	1	4.95	126	2.76	70	2-1/8	2.78	71	
16N79-20-20	1-1/4	1-1/4	6.31	160	3.54	90	2-1/8	3.63	92	
16N79-24-24	1-1/2	1-1/2	7.50	190	4.09	104	2-1/2	4.46	113	



WARNING: The products described in this catalog can expose you to chemicals, including Lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.p65warnings.ca.gov.

See Accessories Section for O-Rings and Flange Kits.

1JS79


Female Seal-Lok® - Swivel - Long

ISO 12151-1 - SWSB

#								
Part Number	Thread inch		Hose I.D. inch	A inch	A mm	H inch	W inch	B inch
1JS79-12-12	3/4	1-3/16x12	3/4	3.99	101	1-1/8	1-3/8	1.93
1JS79-16-12	1	1-7/16x12	3/4	4.26	108	1-3/8	1-5/8	2.20
1JS79-16-16	1	1-7/16x12	1	4.45	113	1-3/8	1-5/8	2.28
1JS79-20-16	1-1/4	1-11/16x12	1	4.32	110	1-3/4	1-7/8	2.15
1JS79-20-20	1-1/4	1-11/16x12	1-1/4	5.00	127	1-3/4	1-7/8	2.32
1JS79-24-24	1-1/2	2x12	1-1/2	5.28	134	2	2-1/4	2.24



WARNING: The products described in this catalog can expose you to chemicals, including Lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.p65warnings.ca.gov.



view on web page

1J779

Female Seal-Lok® - Swivel - 45° Elbow


ISO 12151-1 - SWE25

#								
Part Number	Thread inch		Hose I.D. inch	A inch	A mm	E inch	W inch	B inch
1J779-12-12	3/4	1-3/16x12	3/4	4.40	112	0.83	21	1-3/8
1J779-16-16	1	1-7/16x12	1	5.01	127	0.94	24	1-5/8
1J779-20-20	1-1/4	1-11/16x12	1-1/4	6.15	156	1.00	25	1-7/8

See Accessories Section for O-Rings and Flange Kits.



WARNING: The products described in this catalog can expose you to chemicals, including Lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.p65warnings.ca.gov.



view on web page




Refer to Pressure Rating of Hose End Connections Chart on page 482.

Use with hoses: F42

1J979

Female Seal-Lok® - Swivel - 90° Elbow - Short Drop
ISO - 12151-1 - SWES90




view on web page

#			A		E			B	
Part Number	Thread inch	Hose I.D. inch	inch	mm	inch	mm	inch	inch	mm
1J979-12-12	3/4 1-3/16x12	3/4	4.27	108	1.88	48	1-3/8	2.21	56
1J979-16-16	1 1-7/16x12	1	4.95	126	2.21	56	1-5/8	2.78	71

 **WARNING:** The products described in this catalog can expose you to chemicals, including Lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.p65warnings.ca.gov.

1XA79

Caterpillar® Flange Head



view on web page

#			A		F	B	
Part Number	Flange inch	Hose I.D. inch	inch	mm	inch	inch	mm
1XA79-16-16	1	1	5.75	146	1-7/8	3.59	91

 **WARNING:** The products described in this catalog can expose you to chemicals, including Lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.p65warnings.ca.gov.

 Refer to Pressure Rating of Hose End Connections Chart on page 482.

Use with hoses: F42